



11 Publication number:

0 489 217 A1

®

EUROPEAN PATENT APPLICATION

- (1) Application number: 90830564.2
- (a) Int. Cl.5: **A61K 37/30**, A61K 9/12, A61K 47/18

- ② Date of filing: 05.12.90
- Date of publication of application: 10.06.92 BulletIn 92/24
- Designated Contracting States:
 AT BE CH DE DK ES FR GB GR IT LI LU NL SE
- 71 Applicant: DR. A. TOSI FARMACEUTICI S.R.L. Corso Della Vittoria, 12/B I-28100 Novara(IT)
- Inventor: Tosi, Silvana
 Corso Della Vittoria, 12/B
 I-28100 Novara(IT)
 Inventor: Dondl, Glancaria
 Corso Della Vittoria, 12/B
 I-28100 Novara(IT)
- Representative: Blanchettl, Gluseppe
 Studio Consulenza Brevettuale Vla Rossini,
 8
 I-20122 Milan(IT)
- (9) Calcitonin compositions for intranasal administration.
- (e) The invention relates to stable in the air pharmaceutical composition for the intranasal administration containing a) calcitonin dissolved in b) a citrate buffered aqueous solution at pH 4.0 stabilized by a sodium phydroxybenzoates mixture and containing sodium edetate. Said composition is administered in the form of a nasal spray.

EP 0 489 217 A1

The present invention relates to a set of galenic compositions containing calcitonin as the active ingredient. The compositions object of the present invention, which can be administered by the intranasal route, consist of calcitonin (preferably from salmon) dissolved in a citrate buffered solution at pH 4.0 containing a methyl and propyl p-hydroxybenzoates mixture (as sodium salts), said compositions are characterized in containing also sodium edetate (ethylenediaminetetraacetic acid tetrasodium salt).

Calcitonin, both from salmon and from other species, is biochemically defined as a long chain peptide hormon pharmacologically active in the osteoporosis therapy, in the Paget's disease, in the hypercalcemia and it acts by inhibiting physiological or pathological bony resorption. Its amino acidic nature makes it ineffective by oral administration while some drawbacks occur when calcitonin is injected, due to painful reactions in patients.

Intranasal administration of calcitonin as well as that of other polypeptide drugs, has been for a long time the object of several studies on international scientific papers and it constitutes the subject-matter of many patent specifications.

Calcitonin formulations containing hydroxybenzoates and buffers of various kind for the intranasal administration are already well-known (UK 1,354,526). It is also well-known that, during the production stage, these solutions require to be protected against oxygen both under inert gas streaming into the solutions, and by introducing an inert gas into the containers.

Sensitivity of calcitonin solutions to atmospheric oxygen is confirmed by EP-A-363876, relating to calcitonin solutions containing only sodium chloride, which are administered from specific containers filled with nitrogen.

Now it has surprisingly been found that adding sodium edetate to calcitonin aqueous solutions, preferably containing also methyl and propyl p-hydroxybenzoates, makes the solutions perfectly stable to oxygen thus allowing to operate during production without protecting with inert gases, and to pack the solutions in normal containers which in their turn require no protection with inert gases. The advantages that come from the invention, both in operative simplicity terms and in cost terms and easy storage of pharmaceutical compositions, are evident.

Therefore, the present invention provides pharmaceutical compositions containing a) calcitonin dissolved in b) a citrate buffered aqueous solution at pH 4.0, optionally added with methyl and/or propyl phydroxybenzoates, characterized in that they further contain c) sodium ethylenediaminetetraacetate.

Preferably, the compositions according to the invention consist of solutions containing about 100 to about 5000 I.U. of calcitonin (preferably salmon's calcitonin, i.e. salcatonin) per millilitre; a buffer formed by citric acid and sodium citrate dihydrate in such a quantity to adjust pH to 4.0; 1 to 2 mg methyl phydroxybenzoate and 0.1 to 0.5 mg propyl p-hydroxybenzoate (both of them as sodium salts); and 0.5 to 1.5 mg of sodium edetate (ethylenediaminetetraacetic acid tetrasodium salt).

Particularly preferred pharmaceutical compositions are those containing, per millilitre, 250 to 2000 I.U. salcatonin; 6.27 to 18.8 mg citric acid; 6.19 to 18.56 mg sodium citrate dihydrate; 0.75 to 2.25 mg methyl phydroxybenzoate sodium salt; 0.11 to 0.34 mg propyl phydroxybenzoate sodium salt; and 0.5 to 1.5 mg ethylenediaminetetraacetic acid tetrasodium salt.

A further object of the present invention is provided by a process for the preparation of said compositions, comprising 1) dissolving appropriate calcitonin amounts in a citrate buffered aqueous solution at pH 4, optionally added with methyl and propyl p-hydroxybenzoates in the abovestated ratios, and further containing an appropriate sodium edetate amount, 2) filtrating and 3) packing in appropriate containers, being all the process steps carried out without lnert gases protection.

The stability of the preparations object of the invention was determined according to well-known methods, both in the presence of nitrogen atmosphere and in the lack of the same. At the end of the stability test, carried out within a 24 month interval, calcitonin content in the solution under nitrogen atmosphere is not significantly different from the one obtained for the solution without nitrogen atmosphere.

Therefore, for instance, both solutions degrade less than 10% within 2 years at 20°C. Moreover, both solutions, stored for 4 months at 5° and 20°C, undergo no significant degradation (lower than 1.5%).

A higher degradation was observed at 30 °C for 3 months (about 4.5%), such value is anyway lower than the one expected for a pure aqueous solution.

Also bottles, from which half content had already been sprayed, were kept under control. Tests were performed under the same conditions reported by F.U. (Official Italian Pharmacopoela), IX Edition, Vol II, page 1414, for calcitonin injectable preparations, except inert gas protection.

Results are reported in Table n. 1 for the intact bottle and in Table n. 2 for bottles part of the content of which had already been dispensed, to confirm pack tightness and long-term stability even after partial use.

Results confirm that there is no difference between the intact product and the used product. Results obtained after 2 years are whithin the limits established by F.U., IX Edition for injectable preparations (80-

EP 0 489 217 A1

121%).

Definitely lower results were obtained on preparations obtained in the same manner but without sodium edetate, intact (Table 3) and subjected to partial dispensing (Table 4).

The Applicant carried out stability tests even against possible microbial contaminations.

The compositions were stored at 30°C for 3 months in a glass bottle. Tests were carried out according to the process by S. Urban in Acta Pharmacol. Technol., 22, 247-253, 1976. Concerning this, classical bacteria, such as E. coli ATCC 8739, Pseud. aeruginosa ATCC 9027, Staph. aureus ATCC 6538 and classical fungi like Candida albicans ATCC 10231, Aspergillus niger ATCC 16404 and Sacch. cerevisiae ATCC 9763 were used. Bacteria and fungi were added to the solution so that a cell number of about 2x10⁵ organisms in the inoculated liquid was obtained. After 4 hour incubation the number of microorganisms was remarkably reduced, going to less than 0.2% and 5 weeks later no living cells were noticed in the solution. Such negativeness lasted till the end of the stability tests.

The results obtained from clinical tests showed that the composition is well tolerated, except for a slight tingling sensation in rare cases.

The following examples illustrate the invention.

EXAMPLE 1

500.000 i.U. salcatonin are dissolved in 900 ml distilled water containing 12.53 g citric acid, 12.37 g sodium citrate dihydrate, 1.5 g methyl p-hydroxybenzoate sodium salt, 0.23 g propyl p-hydroxybenzoate sodium salt, 1 g sodium edetate. Distilled water is added up to 1000 ml. After filtration on 0.2 μm filters, the solution is shared among glass bottles fitted with a 0.1 ml dispenser at a time, corresponding to 50 i.U. salcatonin.

25 EXAMPLE 2

The process described in Example 1 is repeated using a double amount of salcatonin, i.e. 1.000.000 I.U. Each dispensing from the bottle corresponds to 100 I.U. salcatonin.

30

35

40

45

50

55

Table 1 T=20°C Bottles 100 I.U. (whole)

₩.	· ·		
month 2	1100	COCIT	93,48
month 20	100 1100	7700	95,21
onth 16	#180 #1	COLL	98,35 97,30 95,21
month12 n	COLL	COLL	98,35
month 0 month 2 month 4 month 6 month 8 month 10 month 12 month 16 month 20 month 24	œrr	corr	99,47
nonth 8	corr	Sorr	100,03
month 6	ωrr	200	100,58 100,46 100,24 100,16 100,03 99,47
month 4	σοιι	. corr	100,24
month 2	corr	cort cort	100,46
month 0	œrr	1100	100,58
	Appearance	Identification	Calcitonin content I.U.

corr - corresponding *by dispensing

Table 2 T=20°C Bottles 100 I.U. (partially dispensed)

	motitin 0	ronth 2 1	month 4	nonth 6 r	ronth 8	month 10	month 12	month 16	month 20	modith 0 month 2 month 4 month 6 month 8 month 10 month 12 month 16 month 20 month 24	
Appearance	corr	200	corr	corr	COLL	COLL	corr	COLL	2007	1385 1385	
Identification	COLL	corr	מסגנ	corr	COLL	corr	COLL	corr	מסנג	F8	
Calcitonin content I.U.	100,57 100,45 100,21 100,09 99,93 99,12	100,45	100,21	200,001	£6,80		98,29	98,29 96,94 94,83 92,85	94,83	92.85	

corr = corresponding *by dispensing

40 45	35		30	25		20	15	10		5
Table 3 T=20 Bottles 100 I.U.* Without edetate (whole)	Econth 0	month 2 a	month 4	month 6 a	month 8	month 10	month 12	month 0 month 2 month 6 month 8 month 10 month 12 month 16 month 20 month 24	month 20	month 24
Appearance Identification Calcitonin content I.U.	corr corr 100,51	corr corr 98,3,	corr corr 93,6	corr corr 91,9	corr corr	COLL COLL B9.2	COLT.	corr.	COLT	2000
by dispensing corr = corresponding										7,00
Table 4 T=20°C Bottles 100 I.U, without edetate (partially dispensed)	הסחלה 0 נ	month, 2	month 4	month 6	month 8	month 10	month 12	nonth 0 month, 2 month 4 month 6 month 8 month 10 month 12 month 16 month 20	month 20	month 24
Appearance	COLL	#100	corr	COLL	COLL	200	228	200	2000	·
<pre>Identification Calcitonin content I.U.*</pre>	100,52	corr 96,2	corr 91,8	corr 90,0	corr 88,2	corr 86,4	04,2	corr 81,9	corr 80,1	73,67
by dispensing corr * corresponding	1									

55 Claims

1. Liquid, stable in the air, pharmaceutical compositions, for intranasal administration, containing a) calcitonin dissolved in b) a citrate buffered aqueous solution at pH 4.0 characterized in that c) sodium

EP 0 489 217 A1

ethylenediaminetetraacetate is further contained.

- Pharmaceutical compositions according to claim 1, further containing methyl and/or propyl p-hydroxybenzoates.
- Pharmaceutical compositions according to claims 1 o 2, characterized in that calcitonin is contained in amounts from about 100 to about 5000 I.U. per millilitre.
- 4. Pharmaceutical compositions according to the preceding claims, each millilitre thereof containing:

from 250 to 2000 I.U. calcitonin;

from 6.27 to 18.8 mg citric acid;

from 6.19 to 18.56 mg sodium citrate dihydrate;

from 0.75 to 2.25 mg methyl p-hydroxybenzoate sodium salt;

from 0.11 to 0.34 mg propyl p-hydroxybenzoate sodium salt; and

- from 0.5 to 1.5 mg ethylendiaminotetracetic acid tetrasodium salt.
 - 5. Pharmaceutical compositions according to the preceding claims characterized in that calcitonin is salmon calcitonin (salcatonin).

20 Claim for the following Contracting States: ES, GR

1. A process for the preparation of liquid, stable in the air, pharmaceutical compositions containing calcitonin, for intranasal administration, characterized in dissolving from 250 to 2000 I.U. calcitonin per millilitre of final solution, into an aqueous solution containing from 6.27 to 18.8 mg citric acid; from 6.19 to 18.56 mg sodium citrate dihydrate; from 0.75 to 2.25 mg methyl p-hydroxybenzoate sodium salt; from 0.11 to 0.34 mg propyl p-hydroxybenzoate sodium salt; and from 0.5 to 1.5 mg ethylenediaminetetraacetic acid tetrasodium salt; for each millilitre of the final solution; filtering the obtained solution and packing the same in suitable containers; being all the process steps carried out without inert gases protection.

30

25

10

35

40

45

50

55

EP 90 83 0564

				ו		
	DOCUMENTS CONS	IDERED TO BE RELEVAL	YT			
Category	Citation of document with of relevant p	indication, where appropriate,	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. CL.5)		
x	EP-A-O 358 234 (R * Claims 1,3; page 11, lines 23-27,33 1-9; page 13, exam example 14 *	ORER INTERNATIONAL) 2, lines 49-50; page -39; page 12, lines ple 8; page 16,	1-5	A 61 K 37/30 A 61 K 9/12 A 61 K 47/18		
E	EP-A-D 418 697 (E: LABORATORIO CHIMICO DI A. IEVOLI & C.) * Claims 1,4-6; pag examples 1-4	D FARMACO BIOLOGICO	1-5			
A	EP-A-0 399 781 (Ti * Page 2, lines 6-1 26-29 *	EIJIN LTD) B; page 4, lines	1			
				TECHNICAL FIELDS SEARCHED (Int. 0.5)		
				A 61 K		
	The present search report has t	occu drawn up for all claims	j			
	Place of search	Date of completion of the march		Transley		
THE	HAGUE	05-07-1991	VENT	URA AMAT A.		
X : parti Y : parti docu A : tech	ATEGORY OF CITED DOCUME colarly relevant if taken aloos colarly relevant if combined with an ment of the same category subogleal hackground written disclosure	E : earlier paient do after the filing o other D : document cited L : document cited	cament, but publicate in the application for other reasons	shed on, or		
	mediate document	document	å : member of the same patent family, corresponding document			

PORM 1500 COURT (P